1969 ANNUAL INDEXES

Textile Research Journal

Volume XXXIX

MONTH	PAGES	MONTH	PAGES
January	1–100	July	611–704
February	101–202	August	705–798
March	203–304	September	799–892
April	305–394	October	893–986
May	395–484	November	987–1080
June	485–610	December	1081–1174

L = Letter to the Editor

AUTHOR AND TITLE INDEX

Achwal, W. B. A New Method for the Estimation of Dyes on Cellulosic and Cellulose Acetate Materials (*Vaidya*) 816

Adams, Donald F. The Solid-Rod Torsion Test for the Determination of Unidirectional Composite Shear Properties (*Thomas*) 339

Aenishänslin, R. A New Chemical Approach to Durable Flame-Retardant Cotton Fabrics (*Guth, Hofmann, Maeder, Nachbur*) 375

Agarwal, P. N. Microbiological Deterioration of Woolen Materials (*Puvathingal*) 38

Algie, J. E. The Measurement of Regain of Wool by Electrical Capacity-Type Moisture Meters. Part IV: The Effect of Packing Density on the Dielectric Constant of Cones of Yarn 213

Alter, Harvey Infrared Analysis of Oxidized Keratin (*Bit-Alkhas*)—L 479

The Melting of Keratin (*Kivimagi*)—L 608

Arai, Kenichiro Change in Degree of Polymerization of Wood Pulp With Cellulase Hydrolysis (*Ogiwara*) 422

Armstrong, L. D. The Torsional Properties of Normal and Sulfur-Enriched Wool Fibers. Part II: Modulus of Rigidity and Torsional Relaxation of Fibers in Water at Temperatures Between 20°C and 85°C (*Feughelman*) 267

The Torsional Properties of Normal and Sulfur-Enriched Wool Fibers. Part I: Modulus of Rigidity and Torsional Relaxation of Wet and Dry Fibers at 20°C (*Feughelman*) 261

Arthur, Jett C., Jr. Rot Resistance of Some Aromatic Derivatives of Cellulose (*Mares*)—L 303

Asnes, H. Cross-Linking of Cotton by Graft Polymerization with Vinyl Monomers (*Edén, Larking*) 1110

Asquith, R. S. Identification of S-Ethyl-2-Amino Cysteine in Wool Treated With 2-Amino Thioethanol (*Puri*)—L 95

The Pyrolysis of Tyrosine and its Possible Relationship to the Yellowing of Wool (*Rivett*) 633

Ateya, K. Study of the Reaction of Some Model Reactive Compounds Under Different Conditions of Application (*Kamel, Izmail*) 872

Backer, Stanley The Dynamics of Roller Drafting. Part II: Role of Fiber Crimp in the Tensile Behavior of Slivers at Low Drafts or Strains (*Plonsker*) 823

Baddi, N. T. Mechanism of Cross-Linking Reactions of Cellulose (*Mehta, Parmar, K. A. Patel, R. S. Patel*)—L 387

Balasubramanian, N. A Study of Irregularities Added in Apron Drafting 155

Balcerzyk, Edward Effect of Zonal Structure of Some Fibers on the Penetration Thermokinetics (*Kozlowski, Wlodarski*) 835

Thermokinetics of Cellulose Fiber Penetration by Physically and Chemically Reactive Liquids and the Structure of Accessible Regions (*Kozlowski, Wlodarski*) 666

Banerjee, B. L. Utilization of Fiber Strength in Jute Yarns (*Lahiri*) 1038

Baril, Albert, Jr. The Effects of Ozone and Electrostatics on Cotton (*Kotter*)—L 385

Bauer, Heinrich, H. Improvements in the Ratio of Wash-Wear Performance/Mechanical Strength by Microstretching and Core-Crosslinking (*Lauchenauer, Matzner, Toma, Zürcher*) 585

Bendak, A. The Action of Periodic Acid and its Salts on Wool. Part II: Amino Acids in Periodate-Oxidized Wool. (*Kantouch*) 851

The Action of Periodic Acid and its Salts on Wool. Part III: Elements and Other Oxidation Products in Periodate-Oxidized Wool (*Kantouch*) 858

Benerito, Ruth R. Salts of DEAE-Cottons as Built-In Catalysts for the Cellulose-DMEU Reaction (*Soignet, Pilkington*) . . 780

Vacuum Cross-Linking of Chemically Modified Cotton (*Soignet, Pilkington*) **485**

Beninate, John V. An Economical Durable Flame-Retardant Finish for Cotton (*Perkins, Drake, Reeves*) 368

Berni, Ralph J. Gas-Liquid Chromatographic Analyses of Cotton Partial Esters (*Soignet, Ward*)—L 887

Bhaduri, S. N. Comparison of Cutting Ratio With Hook Extent (*Ghosh*)—L 483

Transfer of Fibers from Cylinder to Doffer During Cotton- or Staple-Fiber Carding (*Ghosh*)—L 390

Bhatnagar, G. M. Fluorescence Characteristics of Modified Wool (*Gruen*) 938

Bit-Alkhas, Michael Infrared Analysis of Oxidized Keratin (*Alter*)—L 479

Bonkowski, Joseph E. Practical Approaches to the Light Stabilization of Polypropylene Multifilaments 243

Borsten, H. The Accessibility and Internal Tensions of Mercerized Cottons, Determined by Means of a Mild Hydrolysis Treatment (*de Boer*) 346

Bose, K. G. Detection of Mildew Growth on Jute and Cotton Textiles by Ultraviolet Light (*Ghose*)—L 982

Bostwick, C. O. Influence of Temperature and Moisture Regain Changes on the Wrinkling Properties of Wool Fabrics (*Kärrholm, Silén*)—L 795

Bowers, C. A. Factors Controlling the Soiling of White Polyester Cotton Fabrics. Part I: Laboratory Studies (*Chantrey*) 1

Boyle, Margaret Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schieffer, and Stoll Abrasion (*Galbraith, Cormany, Davison, Ginter, Ericson, Lapitsky, Lund, Cooper*) 329

Brannan, Mary Ann F. A Delayed-Curing Cotton Fabric Based on an Internally Catalyzed Cotton Cellulose and Divinyl Sulfone (*Rowland*) 173

An Uncatalyzed, Vapor-Phase Cross-Linking Reaction of Cotton Cellulose with Formaldehyde (*Joarder, Rowland, Guthrie*) 49

Recent Developments in the Chemistry of Cellulose which Pertain to the Cross-Linking of Cotton (*Rowland, Roberts, Bullock, Cirino, Wade*) 749

Brown, Peter The Characterization of Bulk 395

Bullock, A. L. Recent Developments in the Chemistry of Cellulose which Pertain to the Cross-Linking of Cotton (*Rowland, Roberts, Cirino, Wade, Brannan*) 749

Burley, S. P. New Econometric Techniques for Textile Market Research 648

Caldwell, J. B. Effect of Acylation on the Setting of Wool (*Leach, Milligan*) 705

Carra, Jarrell H. A Microscopical Study of the Reaction Products of Halogenated 1,2-Epoxides With Diethylaminoethyl (DEAE)-Cotton and Aminoethyl-Cotton (Aminized) (*Guidry, deGruy, Rollins*) 866

Electron-Mocroscope Study of the Effects of Various Solvents on Reactions of Diethylaminoethyl-Cotton with Epichlorhydrin (*deGruy, Guidry, Rollins*) 223

Cashen, Norton A. Cross-Linking Cotton Fabric With Methylolated Carbamate Agents Formed *In Situ* (*Reinhardt, Reid*)—L 381

Cegarra, José Reactivity of Fiber Meraklon DR With Acids (*Puente*) 611

Chaftz, Steven R. Rapid and Efficient Wet Fixation by the Use of Steam (*Hollies, Farquhar*) 497

Chaikin, M. A Theoretical and Experimental Analysis of the General Wool Fiber Stress–Strain Behavior with Particular Reference to Structural and Dimensional Nonuniformities (*Collins*) **121**

Chakravarty, A. C. Observations on Transverse Compression of Some Plant Fibers . . . 878
Chang, H. C. An Aspect of Off-Shade Dyeing of Wool Fabrics Containing Small Percents of Stained Fiber (*Lang, Mellor*)—L . . . 791
Chantrey, G. Factors Controlling the Soiling of White Cotton Fabrics. Part I: Laboratory Studies (*Bowers*) . . . 1
Chapman, B. M. A Mechanical Model for Wool and Other Keratin Fibers . . . 1102
Chianta, Maria A. Measurement of Optical Properties of Fabrics (*Stoll*) . . . 657
Chipalkatti, V. B. Moisture Sorption of Cross-Linked Cotton in Relation to Swelling (*Singh, Jain, Pande*) . . . 1117
Cirino, V. O. Recent Developments in the Chemistry of Cellulose which Pertain to the Cross-Linking of Cotton (*Rowland, Roberts, Bullock, Wade, Brannan*) . . . 749
Colbran, R. L. Durable-Press Cotton by Wet Fixation. Part I: A Study of Fixation in Steam (*Maitland, Roff*) . . . 512
Durable-Press Cotton by Wet Fixation. Part II: The Use of Single Melamine-Formaldehyde Precondensates in Wet Fixation (*Corless, Maitland*) . . . 521
Collins, J. D. A Theoretical and Experimental Analysis of the General Wool Fiber Stress-Strain Behavior with Particular Reference to Structural and Dimensional Nonuniformities (*Chaikin*) . . . 121
Conner, Willard Improvement of the Launderability of Polypropylene Multifilament Yarns (*Weimer*) . . . 1150
Connick, W. J., Jr. Oil-Repellent Finish for Cotton Based on Fluorinated Amines (*Ellzey, Drake, Reeves*) . . . 809
Cook, P. A. C. Factors Influencing the Evaluation of Actinic Degradation of Fibers. Part II: Refinement of Techniques for Measuring Degradation in Weathering (*Singleton*) . . . 43
Cooper, Margaret Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schiefer, and Stoll Abrasion (*Galbraith, Boyle, Cormany, Davison, Ginter, Ericson, Lapitsky, Lund*) . . . 329
Corless, M. G. Durable-Press Cotton by Wet Fixation. Part II: The Use of Single Melamine-Formaldehyde Precondensates in Wet Fixation (*Colbran, Maitland*) . . . 521
Cormany, Esther Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schiefer, and Stoll Abrasion (*Galbraith, Boyle, Davison, Ginter, Ericson, Lapitsky, Lund, Cooper*) . . . 329

Daigle, D. J. Phosphorus-Nitrogen Flame Retardant Via Copper Complex (*Donaldson*) . . . 363
Dansizer, Cornelia The Stabilization of Irreversibly Deformed Keratin Fibers. Part I: Mechanism of Recovery (*Weigmann*) . . . 692
David, H. G. Case Studies of Coupled Heat and Moisture Diffusion in Wool Beds (*Nordon*) . . . 166
Davison, Suzanne Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schiefer, and Stoll Abrasion (*Galbraith, Boyle, Cormany, Ginter, Ericson, Lapitsky, Lund, Cooper*) . . . 329
de Boer, J. J. The Accessibility and Internal Tensions of Mercerized Cottons, Determined by Means of a Mild Hydrolysis Treatment (*Borsten*) . . . 346
deGruy, Ines V. A Microscopical Study of the Reaction Products of Halogenated 1,2-Epoxides with Diethylaminoethyl (DEAE)-Cotton and Aminoethyl-Cotton (Aminized) (*Guidry, Carra, Rollins*) . . . 866
Electron-Microscope Study of the Effects of Various Solvents on Reactions of Diethylaminoethyl-Cotton With Epichlorhydrin (*Guidry, Carra, Rollins*) . . . 223
Dehlsen, A. B. A Vibroscope for Constant Mean-Stress Loading (*Holdaway*)—L . . . 383
Delasanta, A. C. A Laboratory Study of Flame-Retardant Textiles Produced by an Ionizing Radiation Cure (*Miles*) . . . 357
Demény, L. The Formation of Free Radicals in Cotton Cellulose During Irradiation (*Elema*)—L . . . 797
Desai, R. L. Differences in Outdoor Weathering of Cottons—L . . . 882
Dolmetsch, Hans H. The Fibrillar "Bundling" of Cellulose Molecules in Cotton (*Hilde Dolmetsch*) . . . 568
Dolmetsch, Hilde The Fibrillar "Bundling" of Cellulose Molecules in Cotton (*Hans Dolmetsch*) . . . 568
Donaldson, D. J. Phosphorus-Nitrogen Flame Retardant Via Copper Complex (*Daigle*) . . . 363
Drake, George L., Jr. An Economical Durable Flame-Retardant Finish for Cotton (*Beninate, Perkins, Reeves*) . . . 368
Oil-Repellent Finish for Cotton Based on Fluorinated Amines (*Ellzey, Connick, Reeves*) . . . 809
Dweltz, N. E. Axial Order in Ramie (*Kulshreshta, Patil, Radhakrishnan*)—L . . . 1158
Crystallite Orientation in Natural Cellulose Fibers (*Radhakrishnan, Patil*) . . . 1003
Dyba, Raymond V. Evaluation of Wettability From Capillary Rise Between Filaments (*Miller*) . . . 962

Edén, C. Cross-Linking of Cotton by Graft Polymerization with Vinyl Monomers (*Åsnes, Larking*) . . . 1110
Eggington, C. D. The Structure and Properties of Some Urons and Thiourons (*Vale*) . . . 140
Elema, R. J. The Formation of Free Radicals in Cotton Cellulose During Irradiation (*Demény*)—L . . . 797
Ellzey, S. E., Jr. Oil-Repellent Finish for Cotton Based on Fluorinated Amines (*Connick, Drake, Reeves*) . . . 809
El-Shiekh, Aly The Mechanics of Looped-Pile Carpets. Part I: Deformation (*Hersh*) . . . 1134

Ericson, June Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schiefer, and Stoll Abrasion (*Galbraith, Boyle, Cormany, Davison, Ginter, Lapitsky, Lund, Cooper*) . . . 329

Farquhar, Karen A. Rapid and Efficient Wet Fixation by the Use of Steam (*Hollies, Chafitz*) . . . 497
Feughelman, M. Cohesive Set in Torsion of Wool Fibers (*Mitchell*)—L . . . 1162
Set in the Hookean and Yield Regions for Wool Fibers (*Irani*) . . . 971
Stress Relaxation of Wool Fibers in Water at Extensions in the Hookean Region over the Temperature Range 0°–90°C (*Robinson*)—L . . . 196
The Mechanical Similarity of "Melted" and Permanently Set Keratin Fibers (*Mitchell*) . . . 930
The Torsional Properties of Normal and Sulfur-Enriched Wool Fibers Part I: Modulus of Rigidity and Torsional Relaxation of Wet and Dry Fibers at 20°C (*Armstrong*) . . . 261
The Torsional Properties of Normal and Sulfur-Enriched Wool Fibers. Part II: Modulus of Rigidity and Torsional Relaxation of Fibers in Water at Temperatures Between 20°C and 85°C (*Armstrong*) . . . 267
Franklin, William E. Reversible Crease Formation in Cotton Cellulose Dicyclopentadienedicarboxylate Fabrics (*Mack, Rowland*) . . . 943
Fukuhara, Setsuo Studies on Tensile Strength, Heat-Shrinkage Force, and Crystallinity of Rayon Tirecords and Regenerated Cellulose Films at Elevated Temperature (*Omote, Suzuki*) . . . 284

Galbraith, Ruth Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schieffer, and Stoll Abrasion (*Boyle, Cormany, Davison, Ginter, Ericson, Lapitsky, Lund, Cooper*) . . . 329
Gallagher, J. R. The Crimp/Diameter Relationship in an Australian Merion Flock—L . . . 883
Gamarra, José Properties of Partially Methylated Cotton Fabrics (*Wilson, Moran, Swidler*) . . . 1055
Gandhi, R. S. Longitudinal Swelling of "Set" Keratin Fibers (*Shah*)—L . . . 1075
Set/Supercontraction Characteristics and Longitudinal Swelling of Keratin Fibers . . . 352
Set/Supercontraction Characteristics of Keratin Fibers . . . 1096
Set/Supercontraction Characteristics of Oxidized Wools. Setting of Oxidized Wool in Distilled Water (*Shah*) . . . 1088
Ghose, S. N. Detection of Mildew Growth on Jute and Cotton Textiles by Ultraviolet Light (*Bose*)—L . . . 982
Ghosh, G. C. Comparison of Cutting Ratio With Hook Extent (*Bhaduri*)—L . . . 483
Transfer of Fibers from Cylinder to Doffer During Cotton or Staple-Fiber Carding (*Bhaduri*)—L . . . 390
Gillis, P. P. Solid Mechanics and Crystal Physics as Tools for Cellulose Structure Investigation (*Mark, Kaloni, Tang*) . . . 203
Ginter, Adella Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schiefer, and Stoll Abrasion (*Galbraith, Boyle, Cormany, Davison, Ericson, Lapitsky, Lund, Cooper*) . . . 329
Gogek, C. J. Effect of Preswelling on Durable-Press Performance of Cotton (*Olds, Valko, Shanley*) . . . 543
Guidry, Joan C. A Microscopical Study of the Reaction Products of Halogenated 1,2-Epoxides With Diethylaminoethyl (DEAE)-Cotton and Aminoethyl-Cotton (Aminized) (*deGruy, Carra, Rollins*) . . . 866
Electron-Microscope Study of the Effects of Various Solvents on Reactions of Diethylaminoethyl-Cotton With Epichlorhydrin (*deGruy, Carra, Rollins*) . . . 223
Grady, P. L. Needle Heating During High-Speed Sewing (*Hersh*) . . . 101
Grant, James N. Sorption of Caustic Solution by Formaldehyde-Crosslinked Cottons (*Honold, Rowland*) . . . 1023
Grindstaff, T. H. A Simple Apparatus and Technique for Constant-Angle Measurements on Small-Denier Single Fibers . . . 958
Gruen, L. C. Fluorescence Characteristics of Modified Wool (*Bhatnagar*) . . . 938
Gupta, Bhupender S. Fiber Migration in Staple Yarns. Part I: Mean Fiber Position as a Controlling Factor and the Influence of Spindle Speed and Spinning Tension (*Hamby*) . . . 55
Guth, C. A New Chemical Approach to Durable Flame-Retardant Cotton Fabrics (*Aenishänslin, Hofmann, Maeder, Nachbur*) . . . 375
Guthrie, J. D. An Uncatalyzed, Vapor-Phase Cross-Linking Reaction of Cotton Cellulose with Formaldehyde (*Joarder, Brannan, Rowland*) . . . 49

Hagege, R. Electron Microscopy of Cellulosic Structures by Inclusion of Stainable Unsaturated Polymers (*Kassenbeck, Meimoun, Parisot*) . . . 1015
Hall, David M. A Scanning Electron-Microscope Study of Starches. Part I: Root and Tuber Starches (*Sayre*) . . . 1044
Haly, A. R. The Specific Heat of Polyethyleneterephthalate (PET) and the Fusion of its Absorbed Water (*Swaith*) . . . 906
Hamby, Dame S. Fiber Migration in Staple Yarns. Part I: Mean Fiber Position as a Controlling Factor and the Influence of Spindle Speed and Spinning Tension (*Gupta*) . . . 55
Haylett, T. Studies on the High-Sulfur Proteins of Reduced Merino Wool. Part III: The Amino-Acid Sequence of Protein SCMKB-IIIB2 (*Swart*) . . . 917
Studies on the High-Sulfur Proteins of Reduced Merino Wool. Part II: The Isolation of a Homogeneous Protein (*Swart, Joubert*) . . . 912
Hearle, J. W. S. The Chapman Mechanical Model for Wool and Other Keratin Fibers . . . 1109

Hebberling, F. The Maximum Wind Angle in Winding of Textile Packages . . . 799
Hebeish, A. Molecular Weight and Moisture Regain of Polyacrylonitrile Cellulose Graft Copolymers (*Mehta*)—L . . . 99
Hedgepeth, John M. Stress Concentrations from Single-Filament Failures in Composite Materials (*Van Dyke*) . . . 618
Hersh, S. P. Needle Heating During High-Speed Sewing (*Grady*) 101
The Mechanics of Looped-Pile Carpets. Part I: Deformation (*El-Shiekh*) . . . 1134
Hicks, H. Lamar A Crystallinity Study of Cellulosic Fibers Employing Deuteration and Infrared Spectroscopy (*Knight, Stephens*) . . . 324
Hoare, J. L. Photobleaching and Yellowing of Naturally Yellow Wool (*Stewart*)—L . . . 884
Hobart, Stanley R. Reaction of Aryl Isocyanates With Cotton Cellulose. Part V: Reaction Via Diphenyl N,N'-Arylenedicarbamates (*Mack*) . . . 317
Hofmann, P. A New Chemical Approach to Durable Flame-Retardant Cotton Fabrics (*Aenishänslin, Guth, Maeder, Nachbur*) 375
Høg, Jørgen Determination of Temperature and Moisture Regain Changes in Wool Fabrics Which Are Wrinkled During Wear (*Sørensen*)—L . . . 793
Holdaway, H. W. A Vibroscope for Constant Mean-Stress Loading (*Dehlsen*)—L . . . 383
A "Wisp" Test for Mechanical Properties of Raw Wool . . . 228
Hollies, Norman R. S. Rapid and Efficient Wet Fixation by the Use of Steam (*Chafitz, Farquhar*) . . . 497
Holt, L. A. Wool Setting: The Effect of Esterification (*Leach, Milligan*) . . . 290
Honold, Edith Sorption of Caustic Solution by Formaldehyde-Crosslinked Cottons (*Rowland, Grant*) . . . 1023
Husy, H. Steric Factors Influencing the Dyeing of Hydrophobic Fibers (*Merian, Schetty*)—L . . . 94

Irani, F. Set in the Hookean and Yield Regions for Wool Fibers (*Feughelman*) . . . 971
Ismail, S. Study of the Reaction of Some Model Reactive Compounds Under Different Conditions of Application (*Kamel, Ateya*) . . . 872
Iyengar, R. L. N. Studies on Chemically Modified Cotton. Part III: Chemical Treatments at Different Temperatures and Their Effect on Crystallinity and Various Other Properties (*Pandey*) . . . 987
Studies on Chemically Modified Cotton. Part I: Effect of Crystallinity and Certain Other Properties of Cotton (*Pandey*) 15
Studies on Chemically Modified Cotton. Part II: Effect of Different Concentrations of Chemicals on Crystallinity and Certain Other Properties of Cotton (*Pandey*) . . . 24
Studies on Chemically Modified Cotton. Part IV: Studies on the Relationship Between the Properties of Untreated and Chemically Modified Cotton Fiber (*Pandey*) . . . 993

Jain, C. L. Moisture Sorption of Cross-Linked Cotton Cellulose in Relation to Swelling (*Singh, Pande, Chipalkatti*) . . . 1117
Jeffries, R. The Function of Swelling in the Finishing of Cotton (*Warwicker*) . . . 548
Joarder, G. K. A Critical Study of Selected Formaldehyde—Crosslinked Cotton Celluloses by Sol-Gel Analysis and by Distention-Index Analysis (*Rowland*) . . . 247
An Uncatalyzed, Vapor-Phase Cross-Linking Reaction of Cotton Cellulose with Formaldehyde (*Brannan, Rowland, Guthrie*) 49
Johannesssen, Birger Textile Characteristics Affecting the Release of Soil During Laundering. Part II: Fluorochemical Soil-Release Textile Finishes (*Sherman, Smith*) . . . 449
Johari, D. P. Anomalous Fading in Case of Gelatin and Wool—L 983
Joshi, V. S. Measurement of the Dynamic Young's Modulus of Short Staple Fibers. Part I: Theory (*Radhakrishnan*) . . . 950
Joubert, F. J. Studies on the High-Sulfur Proteins of Reduced Merino Wool. Part II: The Isolation of a Homogeneous Protein (*Swart, Haylett*) . . . 912
The Apparent Microheterogeneous Nature of the High-Sulfur Proteins of α-Keratins (*Swart, Strydom*) . . . 273
Jutras, W. J. Vapor-Phase Treatment Route to High-Strength DP Cotton—L . . . 394

Kaloni, P. N. Solid Mechanics and Crystal Physics as Tools for Cellulose Structure Investigation (*Mark, Tang, Gillis*) . . . 203
Kamel, M. Study of the Reaction of Some Model Reactive Compounds Under Different Conditions of Application (*Ateya, Ismail*) . . . 872
Kantouch, A. The Action of Periodic Acid and its Salts on Wool. Part II: Amino Acids in Periodate-Oxidized Wool (*Bendak*) 851
The Action of Periodic Acid and its Salts on Wool. Part III: Elements and Other Oxidation Products in Periodate-Oxidized Wool (*Bendak*) . . . 858
Kärrholm, M. Influence of Temperature and Moisture Regain Changes on the Wrinkling Properties of Wool Fabrics (*Bostwick, Silén*)—L . . . 795
Kassenbeck, P. Electron Microscopy of Cellulosic Structures by Inclusion of Stainable Unsaturated Polymers (*Hagege, Meimoun, Parisot*) . . . 1015
Katsumi, M. Study of Soil Removal from Grafted Polypropylene (*Tsuji*) . . . 627
Kelley, R. N. Aspects of Order During Deformation of Nylon Fibers (*Statton*) . . . 662
Kilpatrick, D. J. The Dyeing Properties of Esterified Wools (*Maclaren*) . . . 279
King, M. G. Studies in Wool Yellowing. Part XXIV: Standards for the Visual Assessment of the Yellowing of Fluorescent-Brightened Wools (*Ramsay*)—L . . . 198
Kissa, Erik Urea in Reactive Dyeing . . . 734
Kivimagi, Kaari The Melting of Keratin (*Alter*)—L . . . 608
Knapton, James J. F. Geometry of Complex Knitted Structures—L . . . 889
Knight, J. A. A Crystallinity Study of Cellulosic Fibers Employing Deuteration and Infrared Spectroscopy (*Hicks, Stephens*) . . . 324
Kotter, James I. The Effects of Ozone and Electrostatics on Cotton (*Baril*)—L . . . 385
Kozlowski, Wojciech Effect of Zonal Structure of Some Fibers on the Penetration Thermokinetics (*Balcerzyk, Wlodarski*) 835
Thermokinetics of Cellulose Fiber Penetration by Physically and Chemically Reactive Liquids and the Structure of Accessible Regions (*Balcerzyk, Wlodarski*) . . . 666
Kullman, Russell M. H. Sodium Hypobromite Treatment of Cotton Finished With Methylolated Carbamates (*Reinhardt*) 217
Kulshreshta, A. K. Axial Order in Ramie (*Patil, Dweltz, Radhakrishnan*)—L . . . 1158
Kuroda, Hakuri Behavior of Cotton and Polynosic Fabrics Treated by the Poly-Set Process (*Ohe, Matsuki, Terai, Matsukawa*) . . . 1065

Labhard, Lezlie A Radioactive-Tracer Technique to Detect Synthetic Sebum in Fabrics (*Morris*)—L . . . 201
Lahiri, A. Utilization of Fiber Strength in Jute Yarns (*Banerjee*) 1038
Landwehr, Robert C. Electrostatic Properties of Corona-Treated Wool and Mohair—L . . . 792
Lang, W. R. An Aspect of Off-Shade Dyeing of Wool Fabrics Containing Small Percents of Stained Fiber (*Chang, Mellor*)—L . . . 791
Lapitsky, Mary Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schiefer, and Stoll Abrasion (*Galbraith, Boyle, Cormany, Davison, Ginter, Ericson, Lund, Cooper*) . . . 329
Larking, R. Cross-Linking of Cotton by Graft Polymerization with Vinyl Monomers (*Asnes, Edén*) . . . 1110
Lauchenauer, Alfred E. Improvements in the Ratio of Wash-Wear Performance/Mechanical Strength by Microstretching and Core-Crosslinking (*Bauer, Matzner, Toma, Zücher*) . . . 585
Lauterbach, Herbert G. Spunbonded Polypropylene Carpet Backing (*Shealy*) . . . 254
Leach, S. J. Effect of Acylation on the Setting of Wool (*Caldwell, Milligan*) . . . 705
Wool Setting: The Effect of Esterification (*Holt, Milligan*) . . . 290
Leaver, I. H. Studies in Wool Yellowing. Part XXVI: Photoyellowing of Fluorescent-Brightened Wools—Wavelength Dependence and ESR Studies (*Ramsay*) . . . 722
Studies in Wool Yellowing. Part XXVII: The Role of Water in the Photoyellowing of Fluorescent-Brightened Wool (*Ramsay*) . . . 730
Leitz, Lorraine A. Transformed Center of Gravity—A New Concept for Interpreting the Fiber-Length Distribution Properties of Cotton (*Louis*)—L . . . 1078
Lennox, F. G. Studies in Wool Yellowing. Part XXV: Ultraviolet Sensitization to Hydrothermal Yellowing—L . . . 700
Louis, Gain L. Transformed Center of Gravity—A New Concept for Interpreting the Fiber-Length Distribution Properties of Cotton (*Leitz*)—L . . . 1078
Lund, Lillian Changes in Cotton and Nylon Fabrics Caused by Increments of Accelerotor, Schiefer, and Stoll Abrasion (*Galbraith, Boyle, Cormany, Davison, Ginter, Ericson, Lapitsky, Cooper*) . . . 329

Mack, Charles H. Reaction of Aryl Isocyanates With Cotton Cellulose. Part V: Reaction Via Diphenyl N,N'-Arylenedicarbamates (*Hobart*) . . . 317
Reversible Crease Formation in Cotton Cellulose Dicyclopentadienedicarboxylate Fabrics (*Franklin, Rowland*) . . . 943
Maclaren, J. A. The Dyeing Properties of Esterified Wools (*Kilpatrick*) . . . 279
Maeder, A. A New Chemical Approach to Durable Flame-Retardant Cotton Fabrics (*Aenishänslin, Guth Hofman, Nachbur*) . . . 375
Maitland, C. C. Durable-Press Cotton by Wet Fixation. Part I: A Study of Fixation in Steam (*Colbran, Roff*) . . . 512
Durable-Press Cotton by Wet Fixation. Part II: The Use of Single Melamine-Formaledhyde Precondensates in Wet Fixation (*Colbran, Corless*) . . . 521
Makinson, K. Rachel Effects of $KMnO_4$/Salt Shrinkproofing Treatment on the Frictional Properties of Wool Fibers. Part I: Correlation Between Static Coefficients of Friction and Measurements on the Intrados and Extrados of the Crimp 710
Effects of $KMnO_4$/Salt Shrinkproofing Treatment on Frictional Properties of Wool Fibers. Part II: Dependence on the Nature of the Rubbing Surface—L . . . 1072
Mangialardi, G. J. Effects of Lint Cleaning at Cotton Gins on Seed-Coat Fragment and Funiculus Distribution (*Shepherd*) 11
Manjunath, B. R. Recrystallization of the Cellulose I Lattice in Mercerized and Regenerated Cellulose Fibers (*Peacock*) 70
Mares, Trinidad Rot Resistance of Some Aromatic Derivatives of Cellulose (*Arthur*)—L . . . 303
Margavio, M. F. The Acrylation, Methacrylation and Acrylamidomethylation of Cellulose. Application of Two Novel Cross-Linking Reactions to Cotton. (*Sumrell, Welch*) . . . 78
Mark, R. E. Solid Mechanics and Crystal Physics as Tools for Cellulose Structure Investigation (*Kaloni, Tang, Gillis*) . . . 203

Mason, P. C. R. Absorption of Silver Ions by Wool (*Simpson*) 434
Matsukawa, Saburo Behavior of Cotton and Polynosic Fabrics Treated by the Poly-Set Process (*Ohe, Matsuki, Terai, Kuroda*) 1065
Matsuki, Shintaro Behavior of Cotton and Polynosic Fabrics Treated by the Poly-Set Process (*Ohe, Terai, Kuroda, Matsukawa*) 1065
Matzner, Peter F. Improvements in the Ratio of Wash-Wear Performance/Mechanical Strength by Microstretching and Core-Crosslinking (*Lauchenauer, Bauer, Tomka, Zürcher*) 585
McKinnon, A. J. Equatorial X-Ray Diffraction from Twisted Fibers and its Relation to Spiral Structure of Cellulose—L 703
Mehta, H. U. Mechanism of Cross-Linking Reactions of Cellulose (*Baddi, Parmar, K. A. Patel, R. S. Patel*)—L 387
Mehta, P. C. Molecular Weight and Moisture Regain of Polyacrylonitrile Cellulose Graft Copolymers (*Hebeish*)—L 99
Meimoun, D. Electron Microscopy of Cellulosic Structures by Inclusion of Stainable Unsaturated Polymers (*Hagege, Kessenbeck, Parisot*) 1015
Improved Resilience by Formation of Elastomers Inside Cotton Fibers. Part I: Working Hypothesis and Process of Polymer Inclusion (*Parisot*) 560
Mellet, P. Influence of Alkali Treatment on Native and Denatured Proteins (response to *Williams*)—L 789
Mellor, J. H. An Aspect of Off-Shade Dyeing of Wool Fabrics Containing Small Percents of Stained Fiber (*Chang, Lang*)—L 791
Merlan, E. Steric Factors Influencing the Dyeing of Hydrophobic Fibers (*Husy, Schetty*)—L 94
Merkel, R. S. Cost Problem in Textile Information Retrieval—L 797
Michie, R. I. C. Nonwoven Fabric Studies. Part XVII: An Investigation of Bending Crease-Failure (*Peters*)—L 299
Miles, T. D. A Laboratory Study of Flame-Retardant Textiles Produced by an Ionizing Radiation Cure (*Delasanta*) 357
Milicevic, B. Equilibrium and Nonequilibrium Thermodynamics of Dyeing in Nonionic Systems 677
Miller, Bernard Evaluation of Wettability From Capillary Rise Between Filaments (*Dyba*) 962
Milligan, Brian Effect of Acylation on the Setting of Wool (*Caldwell, Leach*) 705
Wool Setting: The Effect of Esterification (*Holt, Leach*) 290
Mitcham, Donald Synergistic Effect of Mixed Bases in the Conversion of Cotton Cellulose I to Cellulose II. The Role of Cations as Cocatalysts for Crystal Lattice Rearrangement (*Vigo, Wade, Welch*) 305
Mitchell, T. W. Cohesive Set in Torsion of Wool Fibers (*Feughelman*)—L 1162
The Mechanical Similarity of "Melted" and Permanently Set Keratin Fibers (*Feughelman*) 930
Moore, D. R. Polymethylol Polycarbamates in Durable Press (*Tesoro, Sello*) 471
Moran, Clifford Properties of Partially Methylated Cotton Fabrics (*Wilson, Gamarra, Swidler*) 1055
Morris, Mary Ann A Radioactive-Tracer Technique to Detect Synthetic Sebum on Fabrics (*Labhard*)—L 201

Nachbur, H. A New Chemical Approach to Durable Flame-Retardant Cotton Fabrics (*Aenishänslin, Guth, Hofman, Maeder*) 375
Needles, H. L. Riboflavin-Sensitized Graft Photopolymerizations of Monomers onto Fibers (*Wasley*)—L 97
Nordon, P. Case Studies of Coupled Heat and Moisture Diffusion in Wool Beds (*David*) 166
The Temperature of Adiabatic Saturation in Drying of Hygroscopic Textile Fibers—L 294

Ogiwara, Yoshitaka Change in Degree of Polymerization of Wood Pulp With Cellulase Hydrolysis (*Arai*) 422
Ohe, Hideo Behavior of Cotton and Polynosic Fabrics Treated by the Poly-Set Process (*Matsuki, Terai, Kuroda, Matsukawa*) 1065
Olds, W. F. Effect of Preswelling on Durable-Press Performance of Cotton (*Gogek, Valko, Shanley*) 543
Olofsson, B. The Geometry of a Bent (Creased) Fabric—L 980
Olsen, J. S. Frictional Behavior of Textile Yarns 31
Omote, Shigeo Studies on Tensile Strength, Heat-Shrinkage Force, and Crystallinity of Rayon Tirecords and Regenerated Cellulose Films at Elevated Temperatures (*Fukuhara, Suzuki*) 284
Owalekar, R. G. Effect of Hooks in Lap on Fractionation in Cotton Combing 893

Pande, A. Moisture Sorption of Cross-Linked Cotton Cellulose in Relation to Swelling (*Singh, Jain, Chipalkatti*) 1117
Pandey, S. N. Studies on Chemically Modified Cotton. Part III: Chemical Treatments at Different Temperatures and Their Effect on Crystallinity and Various Other Properties (*Iyengar*) 987
Studies on Chemically Modified Cotton. Part I: Effect of Chemical Treatments for Varying Periods on Crystallinity and Certain Other Properties of Cotton (*Iyengar*) 15
Studies on Chemically Modified Cotton. Part II: Effect of Different Concentrations of Chemicals on Crystallinity and Certain Other Properties of Cotton (*Iyengar*) 24
Studies on Chemically Modified Cotton. Part IV: Studies on the Relationship Between the Properties of Untreated and Chemically Modified Cotton Fiber (*Iyengar*) 993
Parikh, D. V. One-Step Wet-Fixation Deposition Process for Cotton Using Low Add-Ons of Resin (*Vail, Verburg, Young*) 505
Parisot, A. Electron Microscopy of Cellulosic Structures by Inclusion of Stainable Unsaturated Polymers (*Hagege, Kassenbeck, Meimoun*) 1015
Improved Resilience by Formation of Elastomers Inside Cotton Fibers. Part I: Working Hypothesis and Process of Polymer Inclusion (*Meimoun*) 560
Parmar, R. S. Mechanism of Cross-Linking Reactions of Cellulose (*Mehta, Baddi, K. A. Patel, R. S. Patel*)—L 387
Patel, K. A. Mechanism of Cross-Linking Reactions of Cellulose (*Mehta, Baddi, Parmar, R. S. Patel*)—L 387
Patel, R. S. Mechanism of Cross-Linking Reactions of Cellulose (*Mehta, Baddi, Parmar, K. A. Patel*)—L 387
Patil, N. B. Axial Order in Ramie (*Kulshreshta, Dweltz, Radhakrishnan*)—L 1158
Crystallite Orientation in Natural Cellulose Fibers (*Radhakrishnan, Dweltz*) 1003
Peacock, N. Recrystallization of the Cellulose I Lattice in Mercerized and Regenerated Cellulose Fibers (*Manjunath*) 70
Peeters, M. Independent Evaluation of the Dry Mass and the Moisture Content of Running Textile Yarns With a Capacity-Type Meter 1081
Perkins, Rita M. An Economical Durable Flame-Retardant Finish for Cotton (*Beninate, Drake, Reeves*) 368
Peters, R. H. Nonwoven Fabric Studies. Part XVII: An Investigation of Bending Crease-Failure (*Michie*)—L 299
Pilkington, Mary W. Salts of DEAE-Cottons as Built-In Catalysts for the Cellulose-DMEU Reaction (*Soignet, Benerito*) 780
Vacuum Cross-Linking of Chemically Modified Cotton (*Soignet, Benerito*) 485
Pittman, Robert A. Random-Fiber Breakage Models (*Tallant*)—L 787
Plonsker, Harvey R. The Dynamics of Roller Drafting. Part II: Role of Fiber Crimp in the Tensile Behavior of Slivers at Low Drafts or Strains (*Backer*) 823
Porter, John J. An Investigation of the Preparation and Reactions of *trans*-3,4-Dihydroxycyclohexyl Carbinol as a Cellulose Model Compound (*Spanninger*) 638
Puente, Publio Reactivity of Fiber Meraklon DR With Acids (*Cegarra*) 611
Purchase, Mary A Method for Low-Level, Particulate Soiling of Fabrics (*Sontag, Smith*)—L 976
Puri, A. K. Identification of S-Ethyl-2-Amino Cysteine in Wool Treated With 2-Amino Thioethanol (*Asquith*)—L 95
Puvathingal, J. M. Microbiological Deterioration of Woolen Materials (*Agarwal*) 38

Radhakrishnan, T. Axial Order in Ramie (*Kulshreshta, Patil, Dweltz*)—L 1158
Crystallite Orientation in Natural Cellulose Fibers (*Patil, Dweltz*) 1003
Measurement of the Dynamic Young's Modulus of Short Staple Fibers (*Joshi*) 950
Ramsay, G. Caird Studies in Wool Yellowing. Part XXVI: Photoyellowing of Fluorescent-Brightened Wools—Wavelength Dependence and ESR Studies (*Leaver*) 722
Studies in Wool Yellowing. Part XXIV: Standards for the Visual Assessment of the Yellowing of Fluorescent-Brightened Wools (*King*)—L 198
Studies in Wool Yellowing. Part XXVII: The Role of Water in the Photoyellowing of Fluorescent-Brightened Wool (*Leaver*) 730
Rao, C. P. A New Theory of Mercerization—L 386
Rebenfeld, Ludwig Relation of Fiber and Fabric Properties in Durable-Press Cottons (*Weigmann, Scott*) 460
Reeves, Wilson A. An Economical Durable Flame-Retardant Finish for Cotton (*Beninate, Perkins, Drake*) 368
Oil-Repellent Finish for Cotton Based on Fluorinated Amines (*Ellzey, Connick, Drake*) 809
Reid, J. David Cross-Linking Cotton Fabric With Methylolated Carbamate Agents *In Situ* (*Cashen, Reinhardt*)—L 381
Reinhardt, Robert M. Cross-Linking Cotton Fabric With Methylolated Carbamate Agents In Situ (*Cashen, Reid*)—L 381
Sodium Hypobromite Treatment of Cotton Finished With Methylolated Carbamates: Bromamide Formation and Decomposition (*Kullman*) 217
Ribnick, Arthur The Thermal Shrinkage of an Oriented Polyester Yarn as a Function of Time, Temperature, and Stress 742
Thermal Shrinkage of Oriented Nylon 66 Yarns as a Function of Time, Temperature, and Stress 428
Rivett, D. E. The Pyrolysis of Tyrosine and its Possible Relationship to the Yellowing of Wool (*Asquith*) 633
Robbins, C. R. A Convenient Method for Measuring Fiber Stiffness (*Scott*)—L 975
Roberts, E. J. Recent Development in the Chemistry of Cellulose which Pertain to the Cross-Linking of Cotton (*Rowland, Bullock, Cirino, Wade, Brannan*) 749
Selective Accessibilities of Hydroxyl Groups in the Microstructure of Cotton Cellulose (*Rowland, Wade*) 530
The Chemical Composition of Aminoethylated Cotton Cellulose (*Rowland*) 686
Robinson, M. S. Stress Relaxation of Wool Fibers in Water in the Hookean Region Over the Temperature Range 0°–90°C (*Feughelman*) 196
Roff, W. J. Durable-Press Cotton by Wet Fixation. Part I: A Study of Fixation in Steam (*Colbran, Maitland*) 512

Rollins, Mary L. A Microscopical Study of the Reaction Products of Halogenated 1,2-Epoxides With Diethylaminoethyl (DEAE)-Cotton and Aminoethyl-Cotton (Aminized) (*Guidry, deGruy, Carra*) . . . 866
Electron-Microscope Study of the Effects of Various Solvents on Reactions of Diethylaminoethyl-Cotton With Epichlorhydrin (*deGruy, Guidry, Carra*) . . . 223
Roper, Louise F. Investigation of New Sulfato Compounds as Cross-Linking Agents for Cotton (*Sumrell, Welch*)—L . . . 603
Rowland, S. P. A Critical Study of Selected Formaldehyde-Crosslinked Cotton Celluloses by Sol-Gel Analysis and Distention-Index Analysis (*Joarder*) . . . 247
An Uncatalyzed, Vapor-Phase Cross-Linking Reaction of Cotton Cellulose with Formaldehyde (*Joarder, Brannan, Guthrie*) 49
A Delayed-Curing Cotton Fabric Based on an Internally Catalyzed Cotton Cellulose and Divinyl Sulfone (*Brannan*) . . . 173
Recent Developments in the Chemistry of Cellulose which Pertain to the Cross-Linking of Cotton (*Roberts, Bullock, Cirino, Wade, Brannan*) . . . 749
Reversible Crease Formation in Cotton Cellulose Dicyclopentadienedicarboxylate Fabrics (*Franklin, Mack*) . . . 943
Selective Accessibilities of Hydroxyl Groups in the Microstructure of Cotton Cellulose (*Roberts, Wade*) . . . 530
Sorption of Caustic Solution by Formaldehyde-Crosslinked Cottons (*Honold, Grant*) . . . 1023
The Chemical Composition of Aminoethylated Cotton Cellulose (*Roberts*) . . . 686
Rutherford, Henry A. The Effect of the Glass-Transition Temperature of Conventional and Radiation-Deposited Polymeric Additives on Mechanical Properties of Cotton Fabric (*Walsh, Siahkolah*) . . . 1126

Sakaguchi, Ikuzo Cumulative Tin-Weighting of Silk with Stannic Chloride . . . 1053
Sayre, Joseph G. A Scanning Electron-Microscope Study of Starches. Part I: Root and Tuber Starches (*Hall*) . . . 1044
Scardino, Francis L. An Investigation of Fiber Geometry in Card Webs (*Trotl*) . . . 1031
Schetty, G. Steric Factors Influencing the Dyeing of Hydrophobic Fibers (*Husy, Merian*)—L . . . 94
Schott, Hans Comments Regarding the Washability of Cotton and the Rolling-Up Mechanism of Detergency—L . . . 296
Scott, G. V. A Convenient Method for Measuring Fiber Stiffness (*Irani*)—L . . . 975
Scott, Marjie G. Relation of Fiber and Fabric Properties in Durable-Press Cottons (*Weigmann, Rebenfeld*) . . . 460
Sello, S. B. Nitrogen-Phosphorus Synergism in Flame-Retardant Cellulose (*Tesoro, Willard*) . . . 180
Polymethylol Polycarbamates in Durable Press (*Tesoro, Moore*) 471
Shah, R. C. Longitudinal Swelling of "Set" Keratin Fibers (*Gandhi*)—L . . . 1075
Set/Supercontraction Characteristics of Oxidized Wools. Setting of Oxidized Wool in Distilled Water (*Gandhi*) . . . 1088
Shanley, E. S. Effect of Preswelling on Durable-Press Performance of Cotton (*Gogek, Olds, Valko*) . . . 543
Shealy, Otis L. Spunbonded Polypropylene Carpet Backing (*Lauterbach*) . . . 254
Shepherd, J. V. Effects of Lint Cleaning at Cotton Gins on Seed-Coat Fragment and Funiculus Distribution (*Mangialardi*) . . . 11
Sherman, Patsy O. Textile Characteristics Affecting the Release of Soil During Laundering. Part I: A Review and Theoretical Consideration of the Effects of Fiber Surface Energy and Fabric Construction on Soil Release (*Smith*) . . . 441
Textile Characteristics Affecting the Release of Soil During Laundering. Part II: Fluorochemical Soil-Release Textile Finishes (*Smith, Johannessen*) . . . 449
Siahkolah, M. A. The Effect of the Glass-Transition Temperature of Conventional and Radiation-Deposited Polymeric Additives on Mechanical Properties of Cotton Fabric (*Walsh, Rutherford*) . . . 1126
Silén, G. Influence of Temperature and Moisture Regain Changes on the Wrinkling Properties of Wool Fabrics (*Kärrholm, Bostwick*)—L . . . 795
Simpson, W. S. Absorption of Silver Ions by Wool (*Mason*) 434
Singh, Balkar Moisture Sorption of Cross-Linked Cotton Cellulose in Relation to Swelling (*Jain, Pande, Chipalkatti*) . . . 1117
Singleton, R. W. Factors Influencing the Evaluation of Actinic Degradation of Fibers. Part II: Refinement of Techniques for Measuring Degradation in Weathering (*Cook*) . . . 43
Smith, B. F. A Method for Low-Level Particulate Soiling of Fabrics (*Sontag, Purchase*)—L . . . 976
Smith, Ieuan T. The Dissolution of Human Hair in Boiling Benzyl Alcohol (*Whitney*)—L . . . 392
Smith, Samuel Textile Characteristics Affecting the Release of Soil During Laundering. Part II: Fluorochemical Soil-Release Textile Finishes (*Sherman, Johannessen*) . . . 449
Textile Characteristics Affecting the Release of Soil During Laundering. Part I: A Review and Theoretical Consideration of the Effects of Fiber Surface Energy and Fabric Construction on Soil Release (*Sherman*) . . . 441
Snaith, J. W. The Specific Heat of Polyethylene Terephthalate (PET) and the Fusion of its Absorbed Water (*Haly*) . . . 906
Solgnet, Donald M. Gas-Liquid Chromatographic Analyses of Cotton Partial Esters (*Berni, Ward*)—L . . . 887
Salts of DEAE-Cottons as Built-In Catalysts for the Cellulose-DMEU Reaction (*Benerito, Pilkington*) . . . 780
Vacuum Cross-Linking of Chemically Modified Cotton (*Benerito, Pilkington*) . . . 485

Sontag, M. Suzanne A Method for Low-Level, Particulate Soiling of Fabrics (*Purchase, Smith*)—L . . . 976
Sørensen, Tormod Determination of Temperature and Moisture Regain in Wool Fabrics Which Are Wrinkled During Wear (*Høg*)—L . . . 793
Spanninger, Philip A. An Investigation of the Preparation and Reactions of *trans*-3,4-Dihydroxycyclohexyl Carbinol as a Cellulose Model Compound (*Porter*) . . . 638
Statton, W. O. Aspects of Order During the Deformation of Nylon Fibers (*Kelley*) . . . 662
Stearn, A. E. The Relationship Between Methods of Measuring Fineness—L . . . 978
Stephens, Kenneth W. A Crystallinity Study of Cellulosic Fibers Employing Deuteration and Infrared Spectroscopy (*Knight, Hicks*) . . . 324
Stephens, L. J. Method for the Determination of Adipic Acid-Polyamide Resins on Wool—L . . . 482
Stewart, R. G. Photobleaching and Yellowing of Naturally Yellow Wool (*Hoare*)—L . . . 884
Stoll, Alice M. Measurement of Optical Properties of Fabrics (*Chianta*) . . . 657
Strydom, A. J. C. The Apparent Microheterogeneous Nature of the High-Sulfur Proteins of α-Keratins (*Swart, Joubert*) . . . 273
Stuart, I. M. An Observation of the Ranking of Setting Treatments From Some Published Data—L . . . 1077
Some Developments of Olofsson's Theory of Woven Fabric Structure . . . 844
Sumrell, Gene Investigation of New Sulfato Compounds as Cross-Linking Agents for Cotton (*Roper, Welch*)—L . . . 603
The Acrylation, Methacrylation, and Acrylamidomethylation of Cellulose. Application of Two Novel Cross-Linking Reactions to Cotton (*Margavio, Welch*) . . . 78
Sunthankar, S. V. Chemical Structure and Lightfastness of Disperse Dyes (*Thanumoorthy*)—L . . . 606
Suzuki, Yasuo Studies on Tensile Strength, Heat-Shrinkage Force, and Crystallinity of Rayon Tirecords and Regenerated Cellulose Films at Elevated Temperatures (*Fukuhara, Omote*) 284
Swart, L. S. Studies on the High-Sulfur Proteins of Reduced Merino Wool. Part III: The Amino-Acid Sequence of Protein SCMKB-IIIB2 (*Haylett*) . . . 917
Studies on the High-Sulfur Proteins of Reduced Merino Wool. Part II: The Isolation of a Homogeneous Protein (*Haylett, Joubert*) . . . 912
The Apparent Microheterogeneous Nature of the High-Sulfur Proteins of α-Keratins (*Joubert, Strydom*) . . . 273
Swidler, Ronald Properties of Partially Methylated Cotton Fabrics (*Wilson, Gamarra, Moran*) . . . 1055

Tallant, John D. Random-Fiber Breakage Models (*Pittman*)—L 787
Tang, R. C. Solid Mechanics and Crystal Physics as Tools for Cellulose Structure Investigation (*Mark, Kaloni, Gillis*) . . . 203
Terai, Mamoru Behavior of Cotton and Polynosic Fabrics Treated by the Poly-Set Process (*Ohe, Matsuki, Kuroda, Matsukawa*) . . . 1065
Tesoro, Giuliana C. Effect of Radial Location of Cross Links in Cellulose Fibers on Fabric Properties (*Willard, Valko*) 417
Nitrogen-Phosphorus Synergism in Flame-Retardant Cellulose (*Sello, Willard*) . . . 180
Polymethylol Polycarbamates in Durable Press (*Sello, Moore*) 471
Thanumoorthy, V. Chemical Structure and Lightfastness of Disperse Dyes (*Sunthankar*)—L . . . 606
Thomas, Rodney L. The Solid-Rod Torsion Test for the Determination of Unidirectional Composite Shear Properties (*Adams*) . . . 339
Toma, Gerold W. Improvements in the Ratio of Wash-Wear Performance/Mechanical Strength by Microstretching and Core-Crosslinking (*Lauchenauer, Bauer, Matzner, Zürcher*) 585
Trott, David W. An Investigation of Fiber Geometry in Card Webs (*Scardino*) . . . 1031
Tsuji, T. Study of Soil Removal from Grafted Polypropylene (*Katsumi*) . . . 627
Tucker, J. E. Reduction of Sunlight Yellowing of Wool Fabric Treated With Fluorescent Brightening Agents . . . 830

Vaidya, A. A. A New Method for the Estimation of Dyes on Cellulosic and Cellulose Acetate Materials (*Achwal*) . . . 816
Vail, Sidney L. One-Step Wet-Fixation Deposition Process for Cotton Using Low Add-Ons of Resin (*Verburg, Young, Parikh*) . . . 505
The 4,5-Dihydroxy-2-Imidazolidinone System for Cross-Linking Cotton (*Verburg, Young*) . . . 86
The Reactivity-Hydrolysis Relationship in Chemical Finishing of Cotton . . . 774
Vale, C. P. The Structure and Properties of Some Urons and Thiourons (*Eggington*) . . . 140
Valko, E. I. Effect of Preswelling on Durable-Press Performance of Cotton (*Gogek, Olds, Shanley*) . . . 543
Effect of Radial Location of Cross Links in Cellulose Fibers on Fabric Properties (*Willard, Tesoro*) . . . 413
Fundamental and Applied Research in the Field of Dyeing Processes—Survey of Achievements and Needs in the Textile Industry . . . 759
Van Dyke, Peter Stress Concentrations from Single-Filament Failures in Composite Materials (*Hedgepeth*) . . . 618
Verburg, Gerald B. One-Step Wet-Fixation Deposition Process for Cotton Using Low Add-Ons of Resin (*Vail, Young, Parikh*) . . . 505
The 4,5-Dihydroxy-2-Imidazolidinone System for Cross-Linking Cotton (*Vail, Young*) . . . 86

Vigo, Tyrone L. Structural Changes in Cotton: Effect of Premercerization Conditions on Subsequent Cross-Linking (*Wade*) 148
Synergistic Effect of Mixed Bases in the Conversion of Cotton Cellulose I to Cellulose II. The Role of Cations as Cocatalysts for Crystal Lattice Rearrangement (*Wade, Mitcham, Welch*) 305

Wade, C. P. Recent Developments in the Chemistry of Cellulose which Pertain to the Cross-Linking of Cotton (*Rowland, Roberts, Bullock, Cirino, Brannan*) 749
Selective Accessibilities of Hydroxyl Groups in the Microstructure of Cotton Cellulose (*Rowland, Roberts*) 530
Wade, Ricardo H. Structural Changes in Cotton: Effect of Premercerization Conditions on Subsequent Cross-Linking (*Vigo*) 148
Synergistic Effect of Mixed Bases in the Conversion of Cotton Cellulose I to Cellulose II. The Role of Cations as Cocatalysts for Crystal Lattice Rearrangement (*Vigo, Mitcham, Welch*) 305
Walsh, W. K. The Effect of the Glass-Transition Temperature of Conventional and Radiation-Deposited Polymeric Additives on Mechanical Properties of Cotton Fabrics (*Siahkolah, Rutherford*) 1126
Walter, J. D. A Tirecord Tension Transducer 191
Ward, Truman L. Gas-Liquid Chromatographic Analyses of Cotton Partial Esters (*Berni, Soignet*)—**L** 887
Warwicker, J. O. The Function of Swelling in the Finishing of Cotton (*Jeffries*) 548
Wasley, W. L. Riboflavin-Sensitized Graft Photopolymerization of Monomers onto Fibers (*Needles*)—**L** 97
Weigmann, Hans-Dietrich Relation of Fiber and Fabric Properties in Durable-Press Cottons (*Scott, Rebenfeld*) 460
The Stabilization of Irreversibly Deformed Keratin Fibers. Part I: Mechanism of Recovery (*Dansizer*) 692
Weimer, Robert P. Improvement of the Launderability of Polypropylene Multifilament Yarns (*Conner*) 1150
Welch, Clark M. Investigation of New Sulfato Compounds as Cross-Linking Agents for Cotton (*Roper, Sumrell*)—**L** 603
Synergistic Effect of Mixed Bases in the Conversion of Cotton Cellulose I to Cellulose II. The Role of Cations as Cocatalysts for Crystal Lattice Rearrangement (*Vigo, Wade, Mitcham*) 305
The Acrylation, Methacrylation, and Acrylamidomethylation of Cellulose. Application of Two Novel Cross-Linking Reactions to Cotton (*Sumrell, Margavio*) 78
Whitney, Patricia E. The Dissolution of Human Hair in Boiling Benzyl Alcohol (*Smith*)—**L** 392
Willard, John J. Effect of Radial Location of Cross Links in Cellulose Fibers on Fabric Properties (*Tesoro, Valko*) 413
Nitrogen-Phosphorus Synergism in Flame-Retardant Cellulose (*Tesoro, Sello*) 180
Williams, M. J. Influence of Alkali Treatment on Native and Denatured Proteins (*Mellet*, response)—**L** 789
Wilson, Katherine W. Properties of Partially Methylated Cotton Fabrics (*Gamarra, Moran, Swidler*) 1055
Wlodarski, Gabriel Effect of Zonal Structure of Some Fibers on the Penetration Thermokinetics (*Balcerzyk, Kozlowski*) 835
Thermokinetics of Cellulose Fiber Penetration By Physically and Chemically Reactive Liquids and the Structure of Accessible Regions (*Balcerzyk, Kozlowski*) 666

Young, Alvin H. P. One-Step Wet-Fixation Deposition Process for Cotton Using Low Add-Ons of Resin (*Vail, Verburg, Parikh*) 505
The 4,5-Dihydroxy-2-Imidazolidinone System for Cross-Linking Cotton (*Vail, Verburg*) 86

Zürcher, Johanna B. Improvements in the Ratio of Wash-Wear Performance/Mechanical Strength by Microstretching and Core-Crosslinking (*Lauchenauer, Bauer, Matzner, Toma*) 585

SUBJECT INDEX

Abrasion
increments in Accelerotor, Schiefer, and Stoll: effects on cotton and nylon fabrics *Galbraith, Boyle, Cormany, Davison, Ginter, Ericson, Lapitsky, Lund, Cooper* 329
Absorption
water by polyethyleneterephthalate: fusion and specific heat *Haly, Snaith* 906
Actinic Degradation
in weathering: refinement of techniques for measuring *Singleton, Cook* 43
Analysis
gas-liquid chromatographic: cotton partial esters *Berni, Soignet, Ward*—**L** 887
identification of S-ethyl-2-amino-cysteine in wool treated with 2-amino thioethanol *Asquith, Puri*—**L** 95
sol-gel and distention-index: selected formaldehyde-crosslinked cotton celluloses *Joarder, Rowland* 247
Animal Fibers
silk: cumulative tin-weighting with stannic chloride *Sakaguchi* 1054

Bast Fibers
jute: utilization of fiber strength in yarns *Banerjee, Lahiri* 1038
transverse compression *Chakravarty* 878
Bleaching
photo—and yellowing of naturally yellow wool *Hoare, Stewart*—**L** 884
Bulk
characterization *Brown* 595
Carding
cotton- or staple-fiber: transfer of fibers from cylinder to doffer *Ghosh, Bhaduri*—**L** 390
Carpets
Rugs
backing: spunbonded polypropylene *Shealy, Lauterbach* 254
looped-pile: deformation *El-Shiekh, Hersh* 1134
Cellulose
aminoethylated cotton: chemical composition *Roberts, Rowland* 686
axial order in ramie *Kulshreshta, Patil, Dweltz, Radhakrishnan*—**L** 1158
bundling: elementary fibrils into microfibrils *Hans Dolmetsch, Hilde Dolmetsch* 558
cotton: formation of free radicals during irradiation *Demény, Elema*—**L** 797
cotton: internally catalyzed with divinyl sulfone for use in delayed-curing cotton fabric *Rowland, Brannan* 173
cotton: selective accessibliities of hydroxyl groups in the microstructure *Rowland, Roberts, Wade* 530
cross-linked with formaldehyde: critical study of selected cases by sol-gel and distention-index analyses *Joarder, Rowland* 247
effect of radial location of cross links in fibers on fabric properties *Willard, Tesoro, Valko* 413
equatorial x-ray diffraction from twisted fibers and its relation to spiral structure *McKinnon*—**L** 703
fiber penetration by physically and chemically reactive liquids and the structure of accessible regions *Balcerzyk, Kozlowski, Wlodarski* 666
flame-retardant: nitrogen-phosphorus synergism *Tesoro, Sello, Willard* 180
model compound: preparation and reactions of trans-3,4-dihydroxycyclohexyl carbinol *Porter, Spanninger* 638
natural: crystallite orientation in fibers *Radhakrishnan, Patil, Dweltz* 1003
polyacrylonitrile graft copolymers: molecular weight and moisture regain *Hebeish, Mehta*—**L** 99
reaction of aryl isocyanates with cotton cellulose: via diphenyl N,N'-arylenedicarbamates *Hobart, Mack* 317
recent developments in chemistry: cross-linking of cotton *Rowland, Roberts, Bullock, Cirino, Wade, Brannan* 749
recrystallization: cellulose I lattice in mercerized and regenerated cellulose fibers *Manjunath, Peacock* 70
regenerated films: tensile strength, heat-shrinkage force, and crystallinity at elevated temperatures *Fukuhara, Omote, Suzuki* 284
rot resistance: some aromatic derivatives *Mares, Arthur*—**L** 303
stepwise degradation of cell wall: microscopic study *Hans Dolmetsch, Hilde Dolmetsch* 568
structure investigation by means of solid mechanics and crystal physics *Mark, Kaloni, Tang, Gillis* 203
synergistic effect of mixed bases in the conversion of cotton cellulose I to cellulose II: role of cations as cocatalysts for crystal lattice rearrangement *Vigo, Wade, Mitcham, Welch* 305
uncatalyzed vapor-phase cross-linking reaction with formaldehyde *Joarder, Brannan, Rowland, Guthrie* 49
Chromatography
gas-liquid analyses: cotton partial esters *Berni, Soignet, Ward*—**L** 887
Combing
cotton: effect of hooks in lap on fractionation *Owalekar* 893
Composites
stress concentrations from single-filament failures *Van Dyke, Hedgepeth* 618
Copolymers
polyacrylonitrile cellulose graft: molecular weight and moisture regain *Hebeish, Mehta*—**L** 99
Cotton
fiber-length distribution properties: interpretation by means of transformed center of gravity *Louis, Leitz*—**L** 1078
outdoor weathering: differences *Desai*—**L** 882
Cotton Chemically Treated
acrylation, methacrylation, and acrylamidomethylation: application of two novel cross-linking reactions *Sumrell, Margavio, Welch* 78
addition of acrylamide: acid-catalyzed *Sumrell, Margavio, Welch* 78
carboxylic acid groups: wrinkle resistance after application of heat and vacuum *Soignet, Benerito, Pilkington* 485
chemical composition: aminoethylated cotton cellulose *Roberts, Rowland* 686
chemical treatments at different temperatures and their effect on crystallinity and various other properties *Pandey, Iyengar* 987
cotton: graft polymerization with vinyl monomers *Asnes, Edén, Larking* 1110
cross-linked cellulose: moisture sorption in relation to swelling *Singh, Jain, Pande, Chipalkatti* 1117
cross-linking: graft polymerization with vinyl monomers *Asnes, Edén, Larking* 1110
cross-linking: recent developments in chemistry of cellulose. *Rowland, Roberts, Bullock, Cirino, Wade, Brannan* 749
cross-linking with 4,5-dihydroxy-2-imidazolidinone system *Vail, Verburg, Young* 86
diethylaminoethyl-cotton reactions with epichlorhydrin; electron-microscope study *deGruy, Guidry, Carra, Rollins* 223
durable-press: relation of fiber and fabric properties *Weigmann, Scott, Rebenfeld* 460
economical durable flame-retardant finish for cotton *Beninate, Perkins, Drake, Reeves* 368
effect of chemical treatments for varying periods on crystallinity and certain other properties of cotton *Pandey, Iyengar* 15

effect of different concentrations of chemicals on crystallinity and certain other properties of cotton *Pandey, Iyengar* . . 24
effect of ozone *Kotter, Baril*—**L** 385
formaldehyde-crosslinked: sorption of caustic solution *Honold, Rowland, Grant* 1023
introduction of elastomeric substances to improve resilience; working hypothesis and process of polymer inclusion *Meimoun, Parisot* 560
lint cleaning at cotton gins: effect on seed-coat fragment and funiculus distribution *Mangialardi, Shepherd* 11
mercerized: accessibility and internal tensions determined by mild hydrolysis *de Boer, Borsten* 346
new sulfato compounds as cross-linking agents for cotton *Roper, Sumrell, Welch*—**L** 603
N-methylol compounds and THPOH to give durable flame-retardant finish *Beninate, Perkins, Drake, Reeves* 368
N-methylol compounds of dialkyl phospho-carboxylic acid amides: durable flame-retardant finish for cotton; assessed in relation to systems based on APO and THPC *Aenishänslin, Guth, Hofmann, Maeder, Nachbur* 375
phosphorus-nitrogen flame retardant via copper complex *Donaldson, Daigle* 363
premercerization conditions: effect on subsequent cross-linking *Wade, Vigo* 148
reaction of aryl isocyanates with cotton cellulose via diphenyl N,N'-arylenedicarbamates *Hobart, Mack* 317
reaction products of halogenated 1,2-epoxides with diethylaminoethyl (DEAE)-cotton and aminoethyl-cotton (aminized); microscopical study *Guidry, deGruy, Carra, Rollins* . . . 866
relationship between properties of untreated and chemically modified cotton fiber *Pandey, Iyengar* 993
salts of DEAE-cottons as built-in catalysts for the cellulose-DMEU reaction *Soignet, Benerito, Pilkington* 780
sodium hypobromite treatment of cotton finished with methylolated carbamates: bromide formation and decomposition *Reinhardt, Kullman* 217
surface changes produced by ozone *Kotter, Baril*—**L** 385
synergistic effect of mixed bases in the conversion of cotton cellulose I to cellulose II: role of cations as cocatalysts for crystal lattice rearrangement *Vigo, Wade, Mitcham, Welch* . 305

Creaseproofing
Crease Resistance
Creasing
crease recovery vs physical properties of cotton and polynosic fabrics treated by poly-set process *Ohe, Matsuki, Terai, Kuroda, Matsukawa* 1065
reversible crease formation in cotton cellulose dicyclopentadienedicarboxylate fabrics *Franklin, Mack, Rowland* 943
urons and thiourons: tests *Eggington, Vale* 140
wrinkle recovery: application of heat and vacuum to cotton containing carboxylic acid groups *Soignet, Benerito, Pilkington* 485

Cross-Linking
acrylated, methacrylated, and acrylamidomethacrylated cotton: using sodium hydrogen sulfide and over-cure with zinc nitrate *Sumrell, Margavio, Welch* 78
cellulose: mechanism of reactions *Mehta, Baddi, Parmar, K. A. Patel, R. S. Patel*—**L** 387
chemically modified cotton: *in vacuum Soignet, Benerito, Pilkington* 485
core-crosslinking of cotton fabrics and microstretching to improve ratio of wash-wear performance/mechanical strength *Lauchenauer, Bauer, Matzner, Toma, Zürcher* 585
cotton and polynosic fabrics treated by poly-set process: physical properties vs crease recovery *Ohe, Matsuki, Terai, Kuroda, Matsukawa* 1065
cotton celluloses with formaldehyde: critical study of selected cases by sol-gel and distension-index analyses *Joarder, Rowland* 247
cotton fabric with methylolated carbamate agents *in situ Cashen, Reinhardt, Reid*—**L** 381
cotton: recent developments in chemistry *Rowland, Roberts, Bullock, Cirino, Wade, Brannan* 749
cotton: with 4,5-dihydroxy-2-imidazolidinone system *Vail, Verburg, Young* 86
formaldehyde-crosslinked cottons: sorption of caustic solution *Honold, Rowland, Grant* 1023
mechanism of reactions: cellulose *Mehta, Baddi, Parmar, K. A. Patel, R. S. Patel*—**L** 387
new sulfato compounds as cross-linking agents for cotton *Roper, Sumrell, Welch*—**L** 603
reaction products of diethylaminoethyl-cotton with epichlorhydrin; studied with electron microscope *deGruy, Guidry, Carra, Rollins* 223
structural changes in cotton: effect of premercerization conditions on subsequent cross-linking *Wade, Vigo* 148
uncatalyzed vapor-phase: cotton cellulose with formaldehyde *Joarder, Brannan, Rowland, Guthrie* 49

Cross-Linking Agents
4,5-dihydroxy-2-imidazolidinone system with methyl and/or methylol in 1,3-positions: for cotton *Vail, Verburg, Young* 86

Curing
delayed-curing cotton fabric based on an internally catalyzed cotton cellulose and divinyl sulfone *Rowland, Brannan* . . . 173

Degradation
Deterioration
actinic: refinement of techniques for measuring in weathering *Singleton, Cook* 43
microbiological: woolen fabrics *Agarwal, Puvathingal* 38
mildew: detection on jute and cotton by uv light *Bose, Ghose* 982
tyrosine in presence of air, by uv light; possible relationship with wool yellowing *Asquith, Rivett* 633

Detergency; Detergents (see **Launderability, Laundering**)
Deuteration
cellulosic fibers: to study crystallinity *Knight, Hicks, Stephens* 324
Diffusion
coupled heat and moisture in wool beds: case studies *David, Nordon* 166
Drafting
apron: study of irregularities added *Balasubramanian* 155
roller: role of fiber crimp in tensile behavior of slivers at low drafts or strains *Plonsker, Backer* 823
Drying
hygroscopic textile fibers: temperature of adiabatic saturation *Nordon*—**L** 294
Durable Press
and high-strength cotton fabric by vapor-phase processing *Jutras*—**L** 394
cotton: by wet fixation in steam *Colbran, Matiland, Roff* 512
cotton: by wet fixation; use of single melamine-formaldehyde precondensates *Colbran, Corless, Maitland* 521
cotton: effect of preswelling *Gogek Olds, Valko, Shanley* . . . 543
cotton fabrics: with polymethylol polycarbamates *Tesoro, Sello, Moore* 471
cottons: relation of fiber and fabric properties *Weigmann, Scott, Rebenfeld* 460
wet fixation: rapid and efficient; by the use of steam *Hollies, Chafitz, Farquhar* 497
Dyeing
esterified wool: dyeing properties *Kilpatrick, Maclaren* 279
fundamental and applied research; survey of achievements and needs in the textile industry *Valko* 759
nonionic systems: equilibrium and nonequilibrium thermodynamics *Milicevic* 677
off-shade aspect: wool fabrics containing small percents of stained fiber *Chang, Lang, Mellor*—**L** 791
reaction of some model reactive compounds: under different conditions of application *Kamel, Ateya, Ismail* 872
reactive: effect of urea *Kissa* 734
steric factors influencing the dyeing of hydrophobic fibers *Husy, Merian, Schetty*—**L** 94
Dyes
disperse: chemical structure and lightfastness *Sunthankar, Thanumoorthy*—**L** 606
fundamental and applied research; survey of achievements and needs in the textile industry *Valko* 759

Econometrics
new techniques for textile market research *Burley* 648
Electrical Properties
packing density: effect on dielectric constant of yarn cones; measurement of regain by electrical capacity-type moisture meters *Algie* 213
Electron Microscopy
cellulosic structures: inclusion of stainable unsaturated polymers *Hagege, Kessenbeck, Meimoun, Parisot* 1015
root and tuber starches *Hall, Sayre* 1044
solvents: effects on reactions of diethylaminoethyl-cotton with epichlorhydrin *deGruy, Guidry, Carra, Rollins* 223
Electrostatics
corona-treated wool and mohair: electrostatic properties *Landwehr*—**L** 792
ozone-generating electrical field: effect on cotton *Kotter, Baril*—**L** 385

Fabrics
cotton and polynosic: behavior after treatment by poly-set process *Ohe, Matsuki, Terain, Kuroda, Matsukawa* 1065
cotton cellulose dicyclopetnadienedicarboxylate: reversible crease formation *Franklin, Mack, Rowland* 943
cotton: changes caused by increments of Accelerotor, Schiefer, and Stoll abrasion *Galbraith, Boyle, Cormany, Davison, Ginter, Ericson, Lapitsky, Lund, Cooper* 329
cotton: cross-linking with methylolated carbamate agents *in situ Cashen Reinhardt, Reid*—**L** 381
cotton: durable flame-retardant via a new chemical approach *Aenishänslin, Guth, Hofman, Maeder, Nachbur* 375
cotton: effect of glass-transition temperature of conventional and radiation-deposited polymeric additives on mechanical properties *Walsh, Siahkolah, Rutherford* 1126
cotton: effect of radial location of cross links in cellulose fibers on properties *Willard, Tesoro, Valko* 413
cotton: finished with methylolated carbamates; bromamide formation and decomposition after sodium hypobromite treatment *Reinhardt, Kullman* 217
cotton: formaldehyde-modified *Joarder, Brannan, Rowland, Guthrie* 49
cotton: delayed-curing: based on an internally catalyzed cotton cellulose and divinyl sulfone *Rowland, Brannan* 173
cotton: flame-retardant by ionizing radiation cure; laboratory study *Miles, Delasanta* 357
cotton: high-strength DP by vapor-phase processing *Jutras*—**L** . 394
cotton: improvements in ratio of wash-wear performance/mechanical strength by microstretching and core-crosslinking *Lauchenauer, Bauer, Matzner, Toma, Zücher* 585
cotton: phosphorus-nitrogen flame retardant via copper complex *Donaldson, Daigle* 363

cotton: rapid and efficient wet fixation by use of steam *Hollies, Chafitz, Farquhar* . . . 497
cotton: washability and rolling-up mechanism of detergency *Schott*—**L** . . . 296
durable-press cotton: relation with fabric properties *Weigmann, Scott, Rebenfeld* . . . 460
nylon: changes caused by increments of Accelerotor, Schiefer, and Stoll abrasion *Galbraith, Boyle, Cormany, Davison, Ginter, Ericson, Lapitsky, Lund, Cooper* . . . 329
partially methylated cotton: properties *Wilson Gamarra, Moran, Swidler* . . . 1055
radioactive-tracer technique: detection of synthetic sebum *Labhard, Morris*—**L** . . . 201
white cotton: factors controlling soiling *Bowers, Chantrey* . . . 1
wool: influence of temperature and moisture regain changes on wrinkling properties *Kärrholm, Bostwick, Silén*—**L** . . . 795
wool: reduction of sunlight yellowing after treatment with fluorescent brightening agents *Tucker* . . . 830
wool: wrinkled during wear; determination of temperature and moisture regain changes *Sørensen, Hag*—**L** . . . 793
woolen: microbiological deterioration *Agarwal, Puvathingal* . . . 38
woven structure: some developments of Olofsson's theory *Stuart* . . . 844

Fibers
actinic degradation in weathering: refinement of techniques for measuring *Singleton, Cook* . . . 43
cellulose: effect of radial location of cross links on fabric properties *Willard, Tesoro, Valko* . . . 413
cellulose: penetration by physically and chemically reactive liquids and the structure of accessible regions *Balcerzyk, Kozlowski, Wlodarski* . . . 666
cellulose: recrystallization of the cellulose I mercerized and regenerated *Manjunath, Peacock* . . . 70
cellulosic: study of crystallinity with deuteration and infrared spectroscopy *Knight, Hicks, Stephens* . . . 324
cotton: improved resilience by formation of elastomers inside the fibers; working hypothesis and process of polymer inclusion *Meimoun, Parisot* . . . 560
durable-press cotton: relation with fabric properties *Weigmann, Scott, Rebenfeld* . . . 460
hydrophobic: influence of steric factors in dyeing *Husy, Merian, Schetty*—**L** . . . 94
hygroscopic textile fibers: temperature of adiabatic saturation in drying *Nordon*—**L** . . . 294
keratin: set/supercontraction characteristics *Gandhi* . . . 1096
keratin: set/supercontraction characteristics and longitudinal swelling *Gandhi* . . . 352
keratin: stabilization of irreversibly deformed; mechanism of recovery *Weigmann, Dansizer* . . . 692
migration in staple yarns: mean fiber position as a controlling factor and the influence of spindle speed and spinning tension *Gupta, Hamby* . . . 55
natural cellulose: crystallite orientation *Radhakrishnan, Patil, Dweltz* . . . 1003
nylon: aspects of order during deformation *Kelley, Statton* . . . 662
optical properties: measurement *Stoll, Chianta* . . . 657
"set" keratin: longitudinal swelling *Shah, Gandhi*—**L** . . . 1075
wool and other keratin: Chapman mechanical model *Hearle* 1109
wool and other keratin: mechanical model *Chapman* . . . 1102
wool: cohesive set in torsion *Feughelman, Mitchell*—**L** . . . 1162
wool: effects of $KMnO_4$/salt shrinkproofing on frictional properties; correlation between static friction coefficients and measurements on intrados and extrados of the crimp *Makinson* . . . 710
zonal structure: effect on penetration thermokinetics *Balcerzyk, Kozlowski, Wlodarski* . . . 835

Finishing
cotton: function of swelling *Jeffries, Warwicker* . . . 548
oil-repellent: for cotton; based on fluorinated amines *Ellzey, Connick, Drake, Reeves* . . . 809

Fixation
one-step wet: for cotton using low add-ons of resin *Vail, Verburg, Young, Parikh* . . . 505
rapid and efficient with steam: cotton fabrics *Hollies, Chafitz, Farquhar* . . . 497
reactivity-hydrolysis relationship: chemical finishing of cotton *Vail* . . . 774
steam: durable-press cotton *Colbran, Maitland, Roff* . . . 512
wet: with single melamine-formaldehyde precondensates *Colbran, Corless, Maitland* . . . 521

Flammability
Flameproofing
cotton fabric: ionizing radiation cure; a laboratory study *Miles, Delasanta* . . . 357
durable flame-retardant cotton fabrics: new chemical approach *Aenishänslin, Guth, Hofman, Maeder, Nachbur* . . . 375
flame retardancy: imparted by THPOH-NH_4OH solution stabilized with copper salts *Donaldson, Daigle* . . . 363
flame-retardant cellulose: nitrogen-phosphorus synergism *Tesoro, Sello, Willard* . . . 180
optical properties of fire-resistant fabrics and radiation protection *Stoll, Chianta* . . . 657
phosphorus-nitrogen flame retardant via copper complex *Donaldson, Daigle* . . . 363

Fluorescence
wool: modified by tri-n-butylphosphine *Bhatnagar, Gruen* . . . 938

Friction
behavior of textile yarns *Olsen* . . . 31

Geometry
fabric: bent (creased) *Olofsson*—**L** . . . 980
fibers in card webs *Trott, Scardino* . . . 1031
knitted structures *Knapton*—**L** . . . 889

Glass-Transition Temperature
effect of conventional and radiation-deposited polymeric additives on mechanical properties of cotton fabrics *Walsh, Siahkolah, Rutherford* . . . 1126

Heat Phenomena
coupled moisture and heat diffusion in wool beds; case studies *David, Nordon* . . . 166
specific heat of polyethyleneterephthalate and fusion of its absorbed water *Haly, Snaith* . . . 906
thermal shrinkage of oriented nylon 66 as a function of time, temperature, and stress *Ribnick* . . . 428
thermal shrinkage of an oriented polyester yarn as a function of time, temperature, and stress *Ribnick* . . . 742

Information Storage and Retrieval
cost problem in textile information retrieval *Merkel*—**L** . . . 797
Irradiation (see **Radiation**)

Jute
yarns: utilization of fiber strength *Banerjee, Lahiri* . . . 1038

Keratin
and wool fibers: mechanical model *Chapman* . . . 1102
and wool fibers: Chapman mechanical model *Hearle* . . . 1109
apparent microheterogeneous nature of high-sulfur proteins of α-keratins *Swart, Joubert, Strydom* . . . 273
dissolution in boiling benzyl alcohol *Smith, Whitney*—**L** . . . 392
fibers: mechanical similarity of "melted" and permanently set *Feughelman, Mitchell* . . . 930
fibers: set/supercontraction characteristics and longitudinal swelling *Gandhi* . . . 352
melting *Alter, Kivimagi*—**L** . . . 608
"set" fibers: longitudinal swelling *Shah, Gandhi*—**L** . . . 1075
set/supercontraction characteristics *Gandhi* . . . 1096
stabilization of irreversibly deformed keratin fibers; mechanism of recovery *Weigmann, Dansizer* . . . 692

Kinetics
thermal: effect of zonal structure of some fibers *Balcerzyk, Kozlowski, Wlodarski* . . . 835

Launderability
Laundering
polypropylene multifilament yarns: improvement in launderability *Weimer, Conner* . . . 1150
soil removal: from grafted polypropylene *Katsumi, Tsuji* . . . 627
textile characteristics affecting the release of soil: fluorochemical soil-release textile finishes *Sherman, Smith, Johannessen* . . . 449
textile characteristics affecting release of soil: review and theoretical consideration of the effects of fiber surface energy and fabric construction on soil release *Smith, Sherman* . . . 441
washability of cotton: rolling-up mechanism of detergency *Schott*—**L** . . . 296

Lightfastness
and chemical structure of disperse dyes *Sunthankar, Thanumoorthy*—**L** . . . 606
anomalous fading in case of gelatin and wool *Johari*—**L** 983

Light Microscopy
reaction products of halogenated 1,2-epoxides with diethylaminoethyl (DEAE)-cotton and aminoethyl-cotton (aminized) *Guidry, deGruy, Carra, Rollins* . . . 866

Light Stabilization
polypropylene against uv *Bonkowski* . . . 243

Man-Mades
Meraklon DR: reactivity with acids *Cegarra, Puente* . . . 611
nylon: aspects of fiber deformation *Kelley, Statton* . . . 662
nylon 66 yarns: thermal shrinkage as a function of time, temperature, and stress *Ribnick* . . . 428
polyester yarn: thermal shrinkage as a function of time, temperature, and stress *Ribnick* . . . 742
refinement of techniques for measuring actinic degradation in weathering *Singleton, Cook* . . . 43

Mechanical and Physical Properties
bending crease-failure: in nonwoven fabrics *Michie, Peters*—**L** . . . 299
cotton fabric: effect of glass-transition temperature of conventional and radiation-deposited polymeric additives *Walsh, Siahkolah, Rutherford* . . . 1126
deformation: looped-pile carpets *El-Shiekh, Hersh* . . . 1134
improved resilience by formation of elastomers inside cotton fibers; working hypothesis and process of polymer inclusion *Meimoun, Parisot* . . . 560
improvements in ratio of wash-wear performance/mechanical strength of cotton fabrics by microstretching and corecrosslinking *Lauchenauer, Bauer, Matzner, Toma, Zürcher* 585
mechanical properties of raw wool: determined by "wisp" test *Holdaway* . . . 228
modulus of rigidity and torsional relaxation: normal and sulfur-enriched wet and dry wool fibers at 20°C *Armstrong, Feughelman* . . . 261
modulus of rigidity and torsional relaxation: wool fibers in water at temperatures between 20°C and 85°C *Armstrong, Feughelman* . . . 267

physical properties vs crease recovery: cotton and polynosic fabrics treated by poly-set process *Ohe, Matsuzi, Terain Kuroda, Matsukawa* 1065
$KMnO_4$/salt shrinkproofing: effects on the frictional properties of wool fibers: dependence on the nature of the rubbing surface *Makinson*—**L** 1072
sodium hypobromite-treated cotton fabric finished with methylolated carbamates *Reinhardt, Kullman* 217
stress relaxation: wool fibers in water at extensions in the Hookean region over the temperature range 0°–90°C *Feughelman, Robinson*—**L** 196
stress–strain behavior: theoretical and experimental behavior; particular reference to structural and dimensional nonuniformities *Collins, Chaikin* 121
transverse compression: some plant fibers *Chakravarty* . . 878
unidirectional composite shear properties: determination by solid-rod torsion test *Adams, Thomas* 339

Marketing
Market Research
textile: new econometric techniques *Burley* 648

Mechanics
solid mechanics and crystal physics: for cellulose structure investigation *Mark, Kaloni, Tang, Gillis* 203

Mercerization
cotton: accessibility and internal tensions determined by mild hydrolysis *de Boer, Borsten* 346
effect of premercerization conditions on subsequent crosslinking of cotton *Wade, Vigo* 148
new theory *Rao*—**L** 386
woolen materials *Agarwal, Puvathingal* 38

Mildew
detection on jute and cotton by ultraviolet light *Bose, Ghose*—**L** 982

Models
Chapman mechanical: for wool and other keratin fibers *Hearle* 1109
mechanical: for wool and other keratin fibers *Chapman* . . . 1102
random-fiber breakage *Pittman, Tallant*—**L** 787

Moisture Phenomena
coupled heat and moisture: diffusion in wool beds; case studies *David, Nordon* 166
regain measurement: electrical capacity-type moisture meters: effect of packing density on the dielectric constant of yarn cones *Algie* 213
moisture sorption: cross-linked cotton cellulose in relation to swelling *Singh, Jain, Pande, Chipalkatti* 1117

Nonwovens
bending crease-failure: investigation *Michie, Peters*—**L** . . 299

Nuclear Magnetic Resonance
4,5-dihydroxy-2-imidazolidinone system with methyl and/or methylol in 1,3-positions: effects of geometry of ring hydroxyls and impurities *Vail, Verburg, Young* 86

Nylon
aspects of order during deformation of fibers *Kelley, Statton* 662
thermal shrinkage: oriented nylon 66 yarns as a function of time, temperature, and stress *Ribnick* 428

Optical Properties
fabrics: measurement *Stoll, Chianta* 657

Photochemistry
graft photopolymerization: monomers onto fibers *Needles, Wasley*—**L** 97

Physics
crystal physics and solid mechanics as tools in cellulose structure investigation *Mark, Kaloni, Tang, Gillis* 203

Polyesters
multifilaments: practical approaches to light stabilization *Bonkowski* 243
thermal shrinkage: oriented polyester yarn as a function of time, temperature, and stress *Ribnick* 742

Polyethyleneterephthalate
specific heat and fusion of its absorbed water *Haly, Snaith* 906

Polymerization
graft: cotton with vinyl monomers for cross-linking *Asnes, Edén, Larking* 1110
graft photopolymerization: monomers onto fibers *Needles, Wasley*—**L** 97
wood pulp: change in degree with cellulase hydrolysis *Ogiwara, Arai* 422

Polypropylene
Meraklon DR: reactivity with acids *Cegarra, Puente* 611
yarns: improvement in launderability *Weimer, Conner* 1150

Proteins
high-sulfur: reduced merino wool; amino-acid sequence of protein SCMKB-IIIB2 *Haylet, Swart* 917
high-sulfur: reduced merino wool: isolation of a homogeneous protein *Swart, Haylett, Joubert* 912

Radiation
cotton cellulose: formation of free radicals *Demény, Elema*—**L** 797
ionizing cure: to produce flame-retardant cotton fabric: laboratory study *Miles, Delaranta* 357

Radioactive Phenomena
radioactive-tracer technique: to detect synthetic sebum on fabrics *Labhard, Morris*—**L** 201

Rotproofing
Rot Resistance
cellulose: with aromatic groups *Mares, Arthur*—**L** 303
some aromatic derivatives of cellulose *Mares, Arthur*—**L** . . 303
Rugs (see **Carpets**)

Set
Settability
Setting
cohesive: in torsion of wool fibers *Feughelman, Mitchell*—**L** 1162
oxidized wool: in distilled water *Gandhi, Shah* 1088
ranking: observation from some published data *Stuart*—**L** . . 1077
"set" keratin fibers: longitudinal swelling *Shah, Gandhi*—**L** 1075
set/supercontraction: characteristics of keratin fibers *Gandhi* 1096
wool: effect of acylation *Caldwell, Leach, Milligan* 705
wool fibers: in the Hookean and yield regions *Feughelman, Irani* 971

Sewing
needle heating: during high-speed *Hersh, Grady* 101

Shrinkproofing
$KMnO_4$/Salt: effects on frictional properties of wool fibers; correlation between static friction coefficients and measurements on intrados and extrados of the crimp *Makinson* . . . 710

Silk
cumulative tin-weighting: with stannic chloride *Sakaguchi* 1053

Soiling (see also **Launderability, Laundering**)
method: for particular low-level *Sontag, Purchase, Smith* . . . 976
white cotton fabric: controlling factors *Bowers, Chantrey* . . 1

Soil Release (see also **Launderability, Laundering**)

Soil Removal (see also **Launderability, Laundering**)
from grafted polypropylene *Katsumi, Tsuji* 627

Sorption
caustic solution: by formaldehyde-crosslinked cottons *Honold, Rowland, Grant* 1023
moisture: cross-linked cotton cellulose in relation to swelling *Singh, Jain, Pande, Chipalkatti* 1117

Specific Heat
polyethyleneterephthalate and fusion of its absorbed water *Haly, Snaith* 906

Spectroscopy
infrared: to study crystallinity of cellulosic fibers *Knight, Hicks, Stephens* 324

Starch
root and tuber: electron-microscope study *Hall, Sayre* 1044

Supercontraction (see **Set, Settability, Setting**)

Swelling
cross-linked cotton cellulose: relation to moisture sorption *Singh, Jain, Pande, Chipalkatti* 1117
function: in the finishing of cotton *Jeffries, Warwicker* 548
preswelling: effect on durable-press performance of cotton *Gogek, Olds, Valko, Shanley* 543

Testing Apparatus and Procedures
convenient method for measuring fiber stiffness *Scott, Robbins*—**L** 975
determination of temperature and moisture regain changes of wool fabrics that wrinkle during wear *Sørensen, Høg*—**L** . . 793
independent evaluation of the dry mass and moisture content of running textile yarns with a capacity-type meter *Peeters* 1081
measurement of the dynamic Young's modulus of short staple fibers *Joshi, Radhakrishnan* 950
method for particular low-level soiling of fabrics *Sontag, Purchase, Smith* 976
method for the determination adipicacid–polyamide resins on wool *Stephens*—**L** 482
new method for estimation of dyes on cellulosic and cellulose acetate materials *Achwal, Vaidya* 816
radioactive-tracer technique to detect synthetic sebum on fabrics *Labhard, Morris*—**L** 201
relationship between methods of measuring fineness *Stearn*—**L** 978
solid-rod torsion test for determination of unidirectional composite shear properties *Adams, Thomas* 339
tirecord tension transducer *Walter* 191
vibroscope for constant mean-stress loading *Holdaway, Dehlsen*—**L** 383
"wisp" test for mechanical properties of raw wool *Holdaway* 228

Textile Chemicals
urons and thiourons: preparation, structure, and properties *Eggington, Vale* 140

Textile Processing
comparison of cutting ratio with hook extent *Ghosh, Bhaduri*—**L** 483
irregularities added in apron drafting *Balasubramanian* . . . 155
roller drafting: role of fiber crimp in tensile behavior of slivers at low drafts or strains *Plonsker, Backer* 823
transfer of fibers from cylinder to doffer during cotton- and staple-fiber carding *Ghosh, Bhaduri*—**L** 390

Textile Properties
cotton: cross-linked with 4,5-dihydroxy-2-imidazolidinone system *Vail, Verburg, Young* 86

Tirecord
rayon: tensile strength, heat-shrinkage force, and crystallinity at elevated temperatures *Fukuhara, Omote, Suzuki* 284
tension transducer for tirecord *Walter* 191
winding of textile packages: maximum wind angle *Hebberling* 799

Wash-Wear
performance of cotton fabrics: inprovements in ratio to mechanical strength by microstretching and core-crosslinking *Lauchenauer, Bauer, Matzner, Toma, Zürcher* 585
Weathering
outdoor: cottons; differences *Desai*—L 882
Wettability
Wetting
evaluation: from capillary rise between filaments *Dyba, Miller* 962
small-denier single fibers: simple apparatus and technique for contact-angle measurements *Grindstaff* 958
Winding
textile packages: maximum wind angle *Hebberling* 799
Wool
and other keratin fibers: a mechanical model *Chapman* . . 1102
and other keratin fibers: Chapman mechanical model *Hearle* 1109
crimp/diameter relationship: in a Merino flock *Gallagher*—L 883
fibers: cohe ive set in torsion *Feughelman, Mitchell*—L . . . 1162
set: in the Hookean and yield regions *Feughelman, Irani* . . . 971
Wool, Chemically Treated
absorption of silver ions *Simpson, Mason* 434
action of periodic acid and its salts on wool: elements and other oxidation products in periodate-oxidized wool *Kantouch, Bendak* 858
alkali treatment: influence on native and denatured proteins *Williams, Mellet*—L 789
esterification: effect on setting *Holt, Leach, Milligan* 290
esterified: dyeing properties *Kilpatrick, Maclaren* 279
modified by tri-n-butylphosphine: fluorescence characteristics *Bhatnagar, Gruen* 938
oxidized: setting in distilled water *Gandhi, Shah* 1088
periodic acid and its salts: action on wool: amino acids in periodate-oxidized wool *Kantouch, Bendak* 851
photobleaching and yellowing of naturally yellow wool *Hoare, Stewart*—L 884
photoyellowing of fluorescent-brightened: wavelength dependence and ESR studies *Leaver, Ramsay* 722
photoyellowing of fluorescent-brightened: role of water *Leaver, Ramsay* 730
$KMnO_4$/salt shrinkproofing: effects on frictional properties of wool fibers; dependence on the nature of the rubbing surface *Makinson*—L 1072
with 2-amino thioethanol: identification of S-ethyl-2-amino cysteine *Asquith, Puri*—L 95
Wool Fibers
modulus of rigidity and torsional relaxation: in water at temperatures between 20°C and 85°C *Armstrong, Feughelman* 267
modulus of rigidity and torsional relaxation: normal and sulfur-enriched, wet and dry at 20°C *Armstrond, Feughelman* 261
$KMnO_4$/salt shrinkproofing: effects on frictional properties of fibers; correlation between static friction coefficients and measurements on intrados and extrados of the crimp *Makinson* 710
pyrolysis of tyrosine: possible relationship to the yellowing of wool *Asquith, Rivett* 633
raw wool: "wisp" test for mechanical properties *Holdaway* . . 228
setting: effect of acylation *Caldwell, Leach, Milligan* 705
setting: effect of esterification *Holt, Leach, Milligan* 290
stress relaxation: in water at extensions in the Hookean region over the temperature range 0°–90°C *Feughelman, Robinson*—L 196
theoretical and experimental analysis of the general stress–strain behavior; reference to structural and dimensional nonuniformities *Collins, Chaikin* 121
ultraviolet sensitization: to hydrothermal yellowing *Lennox*—L 700
visual assessment of yellowing of fluorescent-brightened wool: standards *King, Ramsay*—L 198
Wool Yellowing
photoyellowing of fluorescent-brightened: role of water *Leaver, Ramsay* 730
photoyellowing of fluorescent-brightened; wavelength dependence and ESR studies *Leaver, Ramsay* 722
ultraviolet sensitization: to hydrothermal yellowing *King, Ramsay*—L 198
visual assessment of yellowing of fluorescent-brightened wool: standards *King, Ramsay*—L 198

Yarns
caustic-swollen, cross-linked: structural changes due to tension applied *Wade, Vigo* 148
fiber migration in staple: mean fiber position as a controlling factor and the influence of spindle speed and spinning tension *Gupta, Hamby* 55
frictional behavior *Olsen* 31
jute: utilization of fiber strength *Banerjee, Lahiri* 1038
polypropylene multifilament: improvement of the launderability *Weimer, Conner* 1150
running: independent evaluation of dry mass and moisture content with a capacity-type meter *Peeters* 1081
Yellowing
and photobleaching of naturally yellow wool *Hoare, Stewart*—L 884
reduction of sunlight: wool fabric treated with fluorescent brightening agents *Tucker* 830
standards for visual assessment: fluorescent-brightened wool *King, Ramsay*—L 198
wool: ultraviolet sensitization to hydrothermal yellowing *Lennox*—L 700

X-Rays
analysis of x-ray diffraction profiles of successive orders of OkO reflections from ramie *Kulshresnta, Patil, Dweltz, Radhakrishnan*—L 1158
crystallite orientation: natural cellulose fibers *Radhakrishnan, Patil, Dweltz* 1003

BOOKS REVIEWED AND NOTED

Color Measurement. H. Arens. London and New York, Focal Press. 1967. 88 pages. $14.50. 304
Contact and Frictional Electrification. W. R. Harper. Oxford, The Clarendon Press. 1967. xii + 369 pages. 70 shillings. 985
Fracture in Polymers. E. H. Andrews. New York, American Elsevier Publishing Co., Inc. 1968. xiii + 204 pages. $10.00 610
Handbuch der chemischen Untersuchung der Textilfaserstoffe. *H. M. Ulrich*, vol. 4, Part 2, Wien—New York, Springer-Verlag, 1968, 992 pp. 610
High-Speed Testing, Volume VI: The Rheology of Solids. New York, London and Sydney, Interscience Publishers. 1967. viii + 344 pages. 304
Lancashire Textiles—A Case Study of Industrial Change. Carolina Mills. Cambridge University Press. 1968. x + 121 pages. 21 shillings. $3.75. 304
Man-Made Fibers—Science and Technology (Volume 2). H. F. Mark, S. M. Atlas, and E. Cernia (Editors). New York, London, and Sydney, Interscience Publishers. 1968. xi + 493 pages. 304
Man-Made Fibers: Science and Technology (Volume 3). H. F. Mark, S. M. Atlas, and E. Cernia, Editors. New York, Interscience Publishers. 1968. xi + 706 pages. $27.00. 985
Practical Leather Technology. Thomas C. Thorstensen. New York, Van Nostrand Reinhold Company. 1969. x + 272 pages. $17.50. 985
Review of Textile Progress (Volume 17). The Textile Institute and The Society of Dyers and Colourists. New York, Plenum Press. 1967. ix + 601 pages. $30.00. 304
Symposium on Fibrous Proteins, Australia 1967. W. G. Crewther, Editor. New York, Plenum Press. 1968. 432 pages. $40.00. 985
Textiles (3rd Edition). Norma Hollen and Jane Saddler. New York, The Macmillan Company. 1968. x + 243 pages. $7.95. 304
Textured Yarn Technology (Volume 1, 2, and 3 and 1968 supplement). The Monsanto Company. 1967. $30.00. 304
The Practice of Absorption Spectrophotometry. E. I. Stearns. New York, Wiley-Interscience. 1969. x + 353 pages. $17.50. 985
Thesaurus of Textile Terms Covering Fibrous Materials and Processes (2nd Edition). Stanley Backer and Emery I. Valko, Editors. Cambridge, Mass., The M.I.T. Press. 1969. xv + 448 pages. $25.00. 985
The Science of Adhesive Joints (2nd Edition). J. J. Bikerman. New York, Academic Press, Inc. 1968. xi + 349 pages. $16.00. 985
Wool Growth. M. L. Ryder and S. K. Stephenson. London, Academic Press, Ltd. 1968. xviii + 805 pages. 168 shillings. 985